



Mono Laser A4 Multi-Function Printer

Flawless Printing, Effortless Performance

DCP-L2640DW









www.brother.co.nz

Mono Laser A4 Multi-Function Printer

Work smarter with an expertly designed machine, built for effortless efficiency. Keep your home or small office moving with long-lasting supplies with up to 3,000-page¹¹ replacement toners and fast print speeds of up to 34ppm⁹. Offering the latest industry-standard security, this compact device is easy to set up and connect. Experience flawless results reliably, every day.

DCP-L2640DW



Key features:

- Fast print speeds of up to 34 pages per minute⁹
- Paper capacity up to 250 sheets and manual feed slot⁶
- Automatic 2-sided (duplex) printing
- 50-sheet Auto Document Feeder (ADF)6
- 100Mbps Ethernet, 2.4/5GHz Wi-Fi and USB connectivity
- Print or scan directly from desktop or mobile app⁷
- 256MB internal memory
- Up to 1,200 pages in-box toners¹¹
- High-yield replacement toners available, up to 3,000 pages¹¹



Work Smarter

Expertly designed to increase efficiency with fast print speeds of up to 34ppm¹¹ that help you work smarter. The 2-sided (duplex) print, high-capacity input and output tray and 50-page⁶ Automatic Document Feeder (ADF) help save you time, enabling you to get on with other tasks.



Effortless

Make your day easier and your printing tasks a breeze, with simple set up using the Brother Mobile Connect app, enabling you to print and scan documents from your mobile device⁷. Make the most of fast ethernet, 2.4/5GHz Wi-Fi or USB connection and an easy to navigate LCD display.



Compact and Expertly Engineered

Designed by experts, our most compact monochrome multi-function printer delivers high-quality outputs in a small footprint, allowing you to make the most of your home or small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of a busy home or small office.



Print Longer

The DCP-L2640DW keeps your printing costs down using a separate drum and toner unit, and the 1,200 page¹¹ in-box toner supports your higher print volume needs. Toners are easy to change with a high-yield replacement toner available to print up to 3,000 pages¹¹, reducing your frequency to replace.



Secure by Design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The DCP-L2640DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Brother at your side support

Wherever you are in New Zealand, Brother offers free 24/7 NZ-based product support for the lifetime of your product.

General -		Digital Scanner	
Engine	Mono Laser	Scanner Colour/Mono	Colour
Warranty	4-year onsite	Scanner Colour Depth	30 bit input / 24 bit output colour
		Scanning Technology	CIS
Display		Scanner Speed ¹²	Simplex ADF: 22.5/7.5 ipm
LCD Display	16 characters x 2 lines		Flatbed: 2.39/7.2 secs @300dpi (Mono/Colour) In accordance with ISO/IEC17991 (A4)
	o di di data da A 2 iii ibo	Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi From ADF: Up to 600 x 600 dpi
		Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
Printer		Scanning Area	ADF: 204(W) x 291(L)mm
Standard Memory	256MB	odanning Area	Flatbed: 204(W) x 291(L)mm
Print Speed ⁹	Up to 34ppm	Scanner Grey Scale	256 levels
2 Sided Print	Yes (Automatic)	Scan to Email Client	Yes
2 Sided Print Speed ⁹	Up to 16 sides per minute / 8 sheets per minute	Scan to OCR	Yes
Printer Resolution	1200 x 1200dpi	Scan to Image	Yes
First Print Out Time ¹⁰	Less than 8.5 secs from Ready mode, Less than 17.5 secs from Sleep mode	Scan to File	Yes
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows Server	Scan to FTP	FTP/FTPS
,	2022, Windows Server 2019, Windows Server 2016,	Scan to Sharepoint	Yes (iPrint&Scan for Windows only)
	Windows Server 2012/R2 (64bit) macOS 11-13	Network Scan	Windows/Mac
	Linux Cups, LPD/LPR	Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit)
Emulation	PCL6, BR-Script3, PDF Version 1.7		macOS 11-13 ³
Resident Fonts	PCL:73 scalable fonts, 12 bitmap fonts, 16 bar codes	Twoin Compliant	Linux Sane Windows: TWAIN or WIA
	PS: 66 scalable fonts	Twain Compliant	Linux: SANE
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post		
	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A,	Software	
	set B, set C), EAN128 (set A, set B, set C), Code93,	N-up Printing	Windows/Mac
	GS1Databar, MSI	Poster Printing	Windows only
Quiet Mode	Yes	Header and Footer Printing	Windows only
Recommended Monthly Print Volume ⁸	Up to 1,500 pages	Watermark Printing	Windows only
volume		Booklet Printing	Windows only
		Archive Printing	Windows only
Paper Handling		Driver Deployment Wizard	Windows only
Standard Paper Capacity ⁶	Up to 250 sheets		
Manual Feed Slot	1 sheet	Network Management Util	ities
Envelopes Input	1 envelope (Single Feed Slot only) output via rear	Network Management	Windows: BRAdmin Light, Web Base Management,
Output Paper Capacity	Up to 120 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)		BRAdmin Professional Mac: Web Base Management Linux: Web Base Management
ADF ⁶	Up to 50 sheets	Web Based Management	Yes
Media Weights Paper Tray	60 - 163 gsm	BRAdmin Professional ¹	Windows only
Media Weights Manual Feed Slot	60 - 230 gsm	Diradillii i Tolessiolidi	viii dows of lly
Media Weights ADF	60 - 105 gsm	Networking	
Media Weights Duplex	60 - 105 gsm	Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE
Media Size Paper Tray	A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm)	Wireless Setup Support Utility	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS)
Media Size MP Tray	N/A	Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/
Media Size Manual Feed Slot	76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope:	NELWOIK FIOLOCOIS IF V4	NetBIOS name resolution, DNS Resolver, mDNS,
Madia Cira ADE	COM-10, DL, C5, Monarch		LLMNR responder, LPR/LPD, Custom Raw Port/
Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm		Port9100, SMTP Client, IPP/IPPS, POP3, FTP Client and Server. SNMPv1/v2c/v3. HTTP/HTTPS server.
Media Size Duplex	A4		TFTP client and server, ICMP, Web Services (Print/Scan
Media Size Scanner Glass	Up to A4/LTR		SNTP Client, IMAP4
Media Types Paper Tray	Plain Paper, Thin Paper, Recycled Paper, Thick Paper	Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS,
Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env.		POP3, SMTP Client, FTP Client and Server, SNMPv1/
	Thick		v2c/v3, HTTP/HTTPS server, TFTP client and server,
			ICMPv6, Web Services (Print/Scan), SNTP Client, IMAP
Media Types ADF	Plain Paper, Recycled Paper	Email Alerts	E-mail Notification and Reports
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper		
		Connectivity	
Digital Copier		Interface	Hi-Speed USB 2.0, 10/100Base-TX Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n
Copier Speed	Up to 34 cpm		Wireless, Wi-Fi Direct
First Copy Out Time	Less than 10 secs from Ready mode, Less than 19	USB Interface	Hi-Speed USB 2.0
	secs from Sleep mode	Wired Interface	10Base-T/100Base-TX Ethernet
	Simplex Scan to Duplex Print	Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless
2 Sided Copy	14 1 000 005 11		FOLIS IEEE 200 11 a /a Wissland
Copier Resolution	Maximum 600 x 600 dpi		5GHz IEEE 802.11a/n Wireless
Copier Resolution Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments	Wi-Fi Direct™	Yes
Copier Resolution Reduction-Enlargement Ratio Copier N-in-1	25 - 400 percent in 1 percent increments 2 in 1 & 4 in 1 (A4/LTR)	Wi-Fi Direct™	
Copier Resolution Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments	Wi-Fi Direct™	

Security	
Wired Security	APOP, SMTP-AUTH, SSL/TLS (SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP- TTLS), OAuth(SMTP, POP3, IMAP4)
Wireless Security	APOP, SMTP-AUTH, SSL/TLS (SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth(SMTP, POP3, IMAP4)
Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "Wi-Fi Direct supports WPA2-PSK (AES) only.
IPv4-Filter	Yes
Secure Print	N/A
Mobile / Web Printing ⁷	
iPrintScan	Windows/Mac
Mobile Connect	IOS/Android
Android Print Service Plugin	Yes
AirPrint	Yes
Mopria TM	Yes
Google ChromeOS	Yes
Consumables ¹¹	
Inbox Consumables	Inbox Toner Cartridge Up to 1,200 pages Drum (DR2530) Up to 15,000 pages (1 page / job)
Standard Yield Toner	Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages
High Yield Toner	High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages
Drum	Drum (DR2530) Up to 15,000 pages (1 page / job)

Weight & Measurements	
Size	410(W) x 399(D) x 319(H)mm
Weight	10.3 Kg without consumables 11.4 Kg with consumables
Size With Carton	580(W) x 517(D) x 434(H)mm
Weight With Carton	15 Kg
Environment	
Power Consumption	Peak: Average 920W, Ready: Average 43W, Sleep: 4.1W, Deep Sleep: 0.6W
Sleep Mode	Yes (0-50 min)
Toner Save	Yes
Power Save	Yes
Others	
Noise Level	Sound Pressure Level: (Printing) Less than 49 dBA, (Standby) Less than 30 dBA Sound Power Level: (Printing) Less than 6.63 B, (Standby) Inaudible
TEC Value	0.39 kwh/week
Carton Contents	Printer, CD-ROM (including User's Guide), Quick Setup Guide, Inbox Toner Cartridge 1,200 pages ¹¹ , Drum (DR2530) @ 15,000 pages, AC Power Cord

Disclaimers:

- 1 Download from Brother Solutions Centre
- 2 Apply to activate
- 3 Via Airprint or iPrint&Scan
- 4 Windows only
- 5 Windows/Mac
- 6 Capacity calculated with 80g/m² paper
- 7 Must be connected to the internet
- 8 The recommended monthly print volume is to achieve the best possible performance and printer life
- 9 Print speeds based on ISO/IEC 24734 (http://www.brother.com/rd/printspeed)
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- 11 Approx. declared yield value in accordance with ISO/IEC 19752
- 12 Scan speeds based on ISO/IEC 17991











All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



