



# **Colour Laser A4 Multi-Function Printer**

**Compact Design, Expertly Engineered** 

MFC-L3755CDW











Exclusively available from



www.brother.co.nz











## Colour Laser A4 Multi-Function Printer

Combining outstanding performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet MFC-L3755CDW has been expertly engineered to feature the latest industry-standard security. Be confident that this colour LED will meet the needs of your home or small office with ease.

MFC-L3755CDW



### **Key features:**

- Fast print speeds of up to 26 pages per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided (duplex) printing
- 50-sheet Auto Document Feeder (ADF)
- Easy to use 8.76cm colour LCD touchscreen
- Gigabit ethernet, 2.4GHz/5GHz WiFi and USB 2.0 connectivity
- Print or scan directly from desktop or mobile app
- 512MB internal memory
- Up to 1,000 pages black and 1,000 colour pages in-box toners
- High-yield replacement toners available, up to 3,000 black and 2,300 colour pages



#### Compact and expertly engineered

Designed by experts, our most compact colour multi-function printer delivers high-quality outputs every time, allowing you to make the most of your home and small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of your home and small office.



#### Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L3755CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



#### Quiet without compromise

With its streamlined design, the MFC-L3755CDW is engineered to print quietly while delivering speeds up to 25% faster than the previous generation, so you can print continuously and without distraction.



#### Designed to go the distance

Built to perform for longer, the MFC-L3755CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.

General		Fax Madam Speed	22 COOlong (Fay)
Engine	Colour LED	Modem Speed	33,600bps (Fax)
Carton Contents	Printer, Quick Setup Guide, Users Guide, CD-ROM	2-Sided Fax	Receive Only
	(Windows), Power Cord, CMYK Toner Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000	ITU-T Group compatibility	Super G3
	pages <sup>11</sup>	Telstra Duet Compatible	Yes
		Speed Dials	300 locations
		ECM	Yes
Display		Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)
LCD Display	8.76cm Colour LCD (7.3 x 6.9cm Touchscreen)	Broadcasting	Up to 350 locations
	· · · · · · · · · · · · · · · · · · ·	Automatic Reduction	Yes
Shortcuts	48	Fax Forwarding	To Fax number or Fmail Address
Printer		PC Fax	Send/Receive from Windows Send only from MAC / Linux
Standard Memory	512MB		(Network / USB)
Print Speed <sup>9</sup>	Up to 26 ppm Mono / Up to 26 ppm Colour	Internet Fax	Yes - T37 protocol
2-Sided Print Speed <sup>9</sup>	Up to 10/10 ipm or 5/5 ppm (Mono/Colour, based on	internet rax	163 TOT PIOLOGO
·	ISO/IEC 24734)		
2-Sided Print	Yes (Automatic)		
Emulation	PCL6, BR-Script3	B: :: 10	
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	Digital Scanner	
First Print Out Time <sup>10</sup>	Less than 13.5 secs Mono/Colour (From Ready mode	Scanner Colour/Mono	Colour
	and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and standard tray)	Scanner Colour Depth	48 bit input / 24 bit output colour
Warm Up Time	Less than 24 sec from Sleep, Less than 28 sec from	Scanning Technology	CIS
wani op inic	Power On	Scanner Speed <sup>12</sup>	Simplex: Max 1.84/2.39 Sec - 27/21 ipm (Mono/Colot @200dpi A4)
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post	Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi
	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A,	Ocamor resolution (Optical)	From ADF: Up to 600 x 600 dpi
	set B, set C), EAN128 (set A, set B, set C), Code93,	Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
	GS1Databar, MSI	Scanning Area	Flatbed: 210(W) x 291(L)mm
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes	Scanner Grey Scale	256 levels
Quiet Mode	PS: 66 scalable fonts  A mode to reduce the printing noise by reducing the	Scan to Email Client	Yes
Quiet Mode	print speed	Scan to Email Server	Yes
Recommended Monthly Print Volume8	Up to 1,500 pages	Scan to OCR	Yes
		Scan to Image	Yes
Paper Handling <sup>6</sup>		Scan to File	Yes
Standard Paper Capacity	Up to 250 Sheets	Scan to FTP	FTP
Envelopes Input	Up to 1 envelope (Manual Feed Slot only) output via rear	Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web
Output Paper Capacity	Up to 150 Sheets Face Down (80gsm)	Scan to Network Folder	Connect
Output I aper Oapacity	1 sheet face-up (straight paper path)	Scan To Cloud	Windows only Yes - See Web Connect
ADF	Up to 50 sheets	Network Scan	Windows/Mac
Media Weights Paper Tray	60 - 163 gsm	Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit)
Media Weights Manual Feed Slot	60 - 163 gsm	oddinor oo compatibility	macOS 11-13 <sup>3</sup>
Media Weights ADF	60 - 105 gsm		Linux SANE
Media Weights Duplex	60 - 105 gsm	Twain Compliant	Windows: TWAIN Windows 11 or WIA for Windows1 Linux SANE
Media Size Paper Tray	A4, Letter, Legal, Mexico Legal, India Legal, Executive,		LINUX SAINE
	A5, A5 Long Edge, A6, B5(JIS), B5(ISO), B6(JIS), A4		
	Short(270mm), Folio, 16K(195x270mm)	Software	
Media Size Manual Feed Slot	Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch	Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows
Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm	. ,	Server 2022, Windows Server 2019, Windows Server
Media Size Duplex	A4		2016, Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit)
Media Size Scanner Glass	Up to A4/LTR		macOS 11 - 13 <sup>3</sup>
Media Types Paper Tray	Plain Paper, Thin Paper, Thick Paper, Recycled Paper		Linux RPM, DEB
Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Recycled Paper,	N-up Printing	Windows/Mac
<b>3</b> ,	Bond, Label, Envelope, Envelope Thin, Envelope Thick,	Poster Printing	Windows only
	Glossy Paper	Header and Footer Printing	Windows only
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper	•	· ·
Media Types ADF	Plain Paper, Thin Paper, Recycled Paper	Watermark Printing	Windows only
		Booklet Printing	Windows only
Digital Copier		Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is
Copier Speed	Up to 26 cpm Mono / Up to 26 cpm Colour		a platform that enables third-party developers to build custom solutions for and integrate with Brother Devic
First Copy Out Time	Less than 14.5/15.5 secs (Mono/Colour) from Ready	1:1:01:	
.,	mode, Less than 30/30 secs (Mono/Colour) from Sleep	Light Solutions	ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcod
	mode		Utility, CustomUI
2-Sided Copy	Simplex Scan to Duplex Print	Mass Deployment Tool	Windows only
	600 x 600 dpi		· ·
•	1/h 4(V) percent in 1 percent increments	Driver Deployment Wizard <sup>1</sup>	Windows only
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments		
Copier Resolution Reduction-Enlargement Ratio Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)		
Reduction-Enlargement Ratio	· · · · · · · · · · · · · · · · · · ·		

Connectivity		Mobile/Web Printing	
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless	Mobile Connect <sup>1</sup>	Use Brother Mobile Connect to print, scan, & copy, as well as manage your machine & customise its features.
USB Interface	Hi-Speed USB 2.0	iPrint&Scan <sup>1</sup>	Windows/Mac
Wired Interface	10Base-T/100Base-TX/1000BaseT Ethernet	Universal Print <sup>7</sup>	Yes
Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n	Web Connect <sup>7</sup>	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote
Wi-Fi Direct	Yes		Scan To: Evernote Print from: Creative Centre
WITT DIEGE	165	AirPrint	Print most common file types from any Apple AirPrint enabled application
Networking		Mopria <sup>1</sup>	Print most common file types from Mopria™ supported Android devices
Wireless Mode	2.4GHz IEEE 802.11/b/g/n (Infrastructure Mode mode), 5GHz IEEE 802.11/a/n (Infrastructure Mode mode)	Google ChromeOS	Print and scan from your Chromebook with most printers that connect to Wi-Fi or a wired network
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)	Android Print Service Plugin <sup>1</sup>	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi or Wired
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client	Brother Apps	network  Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
	and Server, CIFS Client, TELNET Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server,	Consumables	
	ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4, Syslog	Consumables <sup>11</sup>	Belt Unit: Up to 60,000 pages (3-page per job)
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS		(BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 30,000 pages (3-page per job) (DR258CL4PK)
	Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog	Inbox Consumables <sup>11</sup>	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages
Email Alerts	E-mail Notification and E-mail Reports	Standard Yield Toner <sup>11</sup>	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages
Network Management Utili	ities	High Yield Toner <sup>11</sup>	Black Toner High Yield (TN258XLBK) Up to 3,000 pages
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management, Network Remote Setup Linux: Web Base Management		Colour Toner High Yield (TN258XLC/TN258XLM/ TN258XLY) Up to 2,300 pages
Web Based Management	Yes		
BRAdmin Professional	Windows only		
Security			
Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),	Weights & Measurements	
,	SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec	Size Weight	410(W) x 444(D) x 401(H)mm 16 Kg without consumables 21.6 Kg with consumables
Wireless Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),		
	SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,	Environment	
	IPsec	Power Consumption	Peak: Average 960W, Ready: Average 70W,
Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK	Ole are Manda	Sleep: 10W, Deep Sleep: 0.6W, Power Off: 0.04W
	(TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only	Sleep Mode Toner Save	0-50 min  This reduces the toner usage and helps to reduce the
LDAP	Yes	Power Save	total cost of printer ownership  This enables the printer to consume less energy when
Active Directory Authentication	Yes	I OWE! Save	not in use
IPv4-Filter	Yes	Temperature	Operating: 10 - 32°C, Storage: 0 - 40°C
Secure Print	Windows/Mac	Humidity	Operating: 20 - 80%, Storage: 35 - 85%
Secure Function Lock	(Version.3.0) Up to 100 registered users	Others	
		Noise Level	Sound Pressure Level: (Printing) Less than 47 dBA,
Warranty			(Ready) InAudible Sound Power Level: (Printing) Less than 6.41B(A),
New Zealand Warranty	1-year On-Site		(Ready) InAudible

- Download from Brother Solutions Centre
- 1. 2. 3. Apply to activate
  Via Airprint or iPrint&Scan

New Zealand Warranty

- Windows only
- Windows/Mac
- Capacity calculated with 80g/m² paper
- Must be connected to the internet
- The recommended monthly print volume is to achieve the best possible performance and printer life Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)

4-year On-Site

- 10.
- FPOT (First Print Out Time) based on ISO/IEC 17629 Approx. declared yield value in accordance with ISO/IEC 19798
- 12. Scan speeds based on ISO/IEC 17991

Earth

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.







mopria

YouTube: @BrotherNewZealand

LinkedIn: Brother New Zealand

Wi Fi

CERTIFIED

0.41 kWh/Week

AirPrint

TEC Value