



# Colour Laser A4 Multi-Function Printer

**Compact Design, Expertly Engineered** 

MFC-L8390CDW











PRINT

SCAN

COPY

FA)

WIRFLESS

www.brother.co.nz

# Professional Colour Laser A4 Multi-Function Printer

Combining professional performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet MFC-L8390CDW has been expertly engineered to meet the needs of your office with ease.

# MFC-L8390CDW



# **Key features:**

- Fast print speeds of up to 30 pages per minute<sup>9</sup>
- Large paper capacity of 250 sheets, plus expandable up to 500 sheets with additional optional trays<sup>6</sup>
- Automatic 2-sided (duplex) printing and scanning
- 50 sheet 2-sided (duplex) Auto Document Feeder (ADF)<sup>6</sup>
- Easy to use 8.76cm colour LCD touchscreen

- Gigabit ethernet, 2.4GHz/5GHz Wi-Fi and USB 2.0 connectivity
- NFC for secure authentication
- Print or scan directly from desktop, USB or mobile app
- 512MB internal memory
- Up to 2,600 black and 1,400 colour pages in-box toners<sup>11</sup>
- Super high-yield replacement toners available, up to 4,500 black and 4,000 colour pages<sup>11</sup>



# Compact and expertly engineered

Designed by experts, our most compact, professional colour laser printer delivers high-quality outputs every time, allowing you to make the most of your office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access and the ability to add an optional paper tray for additional flexibility, this device has been developed for high print volumes to meet the needs of a busy office.



# **Quiet without compromise**

With its streamlined design, the MFC-L8390CDW is engineered to print quietly whilst delivering speeds up to 25% faster than the previous generation, so you can print continuously without distraction and focus on your work.



# Solutions ready

Automate workflows and improve business processes and security with print management solutions. A suite of document management, security and workflow solutions can be added to the MFC-L8390CDW to provide additional professional features to further improve your business processes.



# **Seamless integration**

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, Kofax and YSoft, to create tailored solutions for your specific requirements that ensure your MFC-L8390CDW works even harder to meet your needs.



# Make printing easy with Brother MPS

Managed Print Services (MPS) supports you to get the best out of your devices - that's why the MFC-L8390CDW has been designed with MPS in mind. Whatever your printing needs, we'll be at your side to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive, delivering a service that's the right fit for your business.



# Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L8390CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



# Designed to go the distance

Built to perform for longer, the MFC-L8390CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.



#### Brother at your side support

Wherever you are in New Zealand, Brother offers free, 24/7 NZ-based support for the lifetime of your product.

General	Onles in LED	Security	-M-II-ONTO ALITEL COLITE O (ISS) LITTO OLITE
Engine Carton Contents	Colour LED  Printer, Quick Setup Guide, Users Guide, CD-ROM (Windows), Power Cord, CMYK Toner (TN258C/	Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-
	TN258M/TN258Y/TN258BK) Up to 1,000 pages <sup>11</sup>	Wireless Security	FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),
Display		•	SNMP v3
LCD Display	8.76cm Colour LCD (7.3 x 6.9cm Touchscreen)		Authentication Protocol: 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Shortcuts	48	Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports
Printer		LDAP Authentication	WPA2-PSK (AES) only Yes
Standard Memory	512MB	Active Directory Authentication	Yes
Print Speed <sup>9</sup>	Up to 30 ppm Mono / Up to 30 ppm Colour	IPv4-Filter	Yes
2-Sided Print Speed <sup>9</sup>	Up to 12/12 sides per minute or 6/6ppm (Mono/Colour, based on ISO/IEC 24734)	Secure Print Secure Function Lock	Windows/Mac Version 3, 100 users
2-Sided Print	Yes (Automatic)	2004.0 : 4.104.5.1 2001	10.00.00
Emulation	PCL6, BR-Script3		
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	Network Management Utili	ties
First Print Out Time <sup>10</sup>	Less than 12.5 secs Mono/Colour (From Ready mode and standard tray), Less than 30 secs Mono/Colour (From Sleep mode and standard tray)	Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management, Network Remote Setu
Warm Up Time	Less than 24 sec from Sleep. Less than 28 sec from		Linux: Web Base Management
	Power On	Web Based Management	Yes
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post	BRAdmin Professional <sup>1</sup>	For LAN / WAN management using Windows® PC
	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI	Email Alerts	E-mail Notification and E-mail Reports
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes	Mobile/Web Printing	
Quiet Mode	PS: 66 scalable fonts  A mode to reduce the printing noise by reducing the	Mobile Connect <sup>1</sup>	Use Brother Mobile Connect to print as well as mana- your machine and customise its features.
	print speed	Web Connect <sup>7</sup>	Scan To/Download and Print from: Google Drive,
Recommended Monthly Print Volume <sup>8</sup>	Up to 2,000 pages		Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
Direct Print/Scan Feature		AirPrint	Print most common file types from any Apple AirPrint enabled application
Digital-Media Type	USB Flash Memory	Mopria <sup>1</sup>	Print most common file types from Mopria™ support
Digital-Media Spec	USB Flash Memory (FAT, FAT32, exFAT)	0 1 01 00	Android devices
Digital-Media Format	<b>Print:</b> PDF version 1.7, JPEG, Exif+JPEG, PRN(created by own printer driver), TIFF(scanned by Brother model),	Google ChromeOS	Print, Scan
Direct USB	XPS version 1.0, <b>Scan to USB:</b> JPEG/PDF Print/Scan	Android Print Service Plugin <sup>1</sup>	Print directly from your Android devices (Android 5.0 of later), to your Brother printer through a Wi-Fi or Wired network
Connectivity		Brother Apps <sup>7</sup>	Office Doc Creator, Easy Scan to Email, Fax Forward Cloud / Email, Enlarge Text Copy, Scan to Mobile
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and		
USB Interface	IEEE 802.11 b/g/n Wireless Hi-Speed USB 2.0		
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet		
Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n	Paper Handling <sup>6</sup>	
Wi-Fi Direct	Yes		11 1 050 01 1
USB Host	Direct Print/Scan	Standard Paper Capacity	Up to 250 Sheets
NFC	Mobile iPrint&Scan / Link to Solutions Centre / NFC Shortcut	Multi-Purpose Tray Capacity Envelopes Input	Up to 30 sheets / 3 Envelopes Up to 3 envelopes face down (MP tray only) output via rear
Wireless Mode	2.4GHz IEEE 802.11/b/g/n (Infrastructure Mode mode), 5GHz IEEE 802.11/a/n (Infrastructure Mode mode)	Output Paper Capacity	Up to 150 Sheets Face Down (80gsm)  1 sheet face-up (straight paper path)
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)	ADF	Up to 50 sheets
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/	Media Weights Paper Tray	60 - 163 gsm
	NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/	Media Weights Paper Tray (Option)	60 - 105 gsm
	Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client	Media Weights Manual Feed Slot	60 - 163 gsm
	and Server, CIFS Client, TELNET Server, SNMPv1/v2c/	Media Weights ADF	60 - 105 gsm
	v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4,	Media Weights Duplex	60 - 105 gsm
	Syslog	Media Size Paper Tray	A4, Letter, Legal, Mexico Legal, India Legal, Executive
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client,		A5, A5 Long Edge, A6, B5(JIS), B5(ISO), B6(JIS), A4 Short(270mm), Folio, 16K(195x270mm)
	TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog	Media Size Paper Tray (Option)	A4, Letter, B5(JIS), A5, Executive, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K(195x270mm)
Digital Copier	, , , , , , , , , , , , , , , , , , , ,	Media Size Manual Feed Slot	Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch
Copier Speed <sup>9</sup>	Up to 30 cpm Mono / Up to 30 cpm Colour	Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm
First Copy Out Time	Less than 13.5/14.5 secs (Mono/Colour) from Ready	Media Size Duplex	A4
riiot dopy out fillio	mode, Less than 30/30 secs (Mono/Colour) from Sleep	Media Types Paper Tray	Plain Paper, Thin Paper, Thick Paper, Recycled Paper
	mode	Media Types Paper Tray (Option)	Plain Paper, Thin Paper, Recycled Paper
2-Sided Copy	Duplex Scan to Duplex Print	Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Recycled Paper
Copier Resolution	600 x 600 dpi		Bond, Label, Envelope, Envelope Thin, Envelope Thic
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments	Modia Types ADE	Glossy Paper  Plain Paper, Thin Paper, Recycled Paper
Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)	Media Types ADF	Plain Paper, Thin Paper, Recycled Paper
		Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper
Copier Multi Sort	Yes	**	

Fax		Options	
Modem Speed	33,600bps (Fax)	Optional Paper Tray	250 sheets (LT-310CL) x 1
2-Sided Fax	Send/Receive		
TU-T Group compatibility	Super G3		
Telstra Duet Compatible	Yes		
Speed Dials	300 locations		
ECM	Yes		
Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)	Environment	
Broadcasting	Up to 350 locations		Deals Average OCOM Beach, Average 70M
Automatic Reduction	Yes	Power Consumption	Peak: Average 960W, Ready: Average 70W, Sleep: 10W, Deep Sleep: 0.65W, Power Off: 0.04W
ax Forwarding	To Fax number or Email Address	Sleep Mode	0-50 min
PC Fax	Send/Receive from Windows, Send only from MAC /	Toner Save	This reduces the toner usage and helps to reduce the
	Linux (Network / USB)		total cost of printer ownership
nternet Fax	Yes - T37 protocol	Power Save	This enables the printer to consume less energy when
Digital Scanner			not in use
Scanner Colour/Mono	Colour		
Scanner Colour Depth	48 bit input / 24 bit output colour		
Scanning Technology	Dual CIS		
Scanner Speed <sup>12</sup>	Simplex: Max 1.84/2.39 Sec - 27/21 ipm, <b>Duplex:</b> Max 1.81/3.06 Sec - 56/32 ipm, In accordance with ISO/		
	IEC17991 (Mono/Colour @200dpi A4)	Consumables	
Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi, From ADF: Up to	Consumables <sup>11</sup>	<b>Belt Unit:</b> Up to 60,000 pages (3-pages per job)
` ' '	600 x 600 dpi		(BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL)
Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi		Drum Unit: Up to 30,000 pages (3-pages per job)
Sided Scan	Single Pass (Up to A4/LTR from ADF)		(DR258CL4PK)
Scanning Area	Flatbed: 210(W) x 291(L)mm	Inbox Consumables <sup>11</sup>	Colour Toner Yield Up to 1,400 pages <sup>11</sup>
Scanner Grey Scale	256 levels		Black Toner Yield Up to 2,600 pages <sup>11</sup>
Scan to Email Client	Yes	0	OND//CT OF LANCE LANCE LANCE CONTROL OF CONT
Scan to Email Server	Yes	Standard Yield Toner <sup>11</sup>	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages <sup>11</sup>
Scan to OCR	Yes	High Yield Toner <sup>11</sup>	Black Toner High Yield (TN258XLBK) Up to 3,000
Scan to Image	Yes	1.1.9.1 1.0.0. 10.1.0.	pages
Scan to File	Yes		Colour Toner High Yield (TN258XLC/TN258XLM/
Scan to FTP	FTP / SFTP	Comer High Viold Tonovil	TN258XLY) Up to 2,300 pages
Scan to Media	USB memory drive	Super High Yield Toner <sup>11</sup>	Black Toner Super High Yield (TN259BK) Up to 4,500 pages <sup>11</sup>
Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web Connect		Colour Toner Super High Yield (TN259C/TN259M/TN259Y) Up to 4,000 pages <sup>11</sup>
Scan to Network Folder	Windows only		The section of the se
Scan To Cloud	Yes - See Web Connect		
Network Scan	Windows/Mac		
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 11-13 <sup>3</sup> Linux Sane	Weights & Measurements	
Twain Compliant	Windows: TWAIN Windows 11 or WIA for Windows10	Size	410(W) x 462(D) x 401(H)mm
Software	Linux: SANE	Weight	17.6 Kg without consumables
N-up Printing <sup>5</sup>	Windows/Mac	· ·	20.2 Kg with consumables
Poster Printing <sup>4</sup>	Windows only	Size With Carton	497(W) x 583(D) x 533(H)mm
Header and Footer Printing <sup>4</sup>	Windows only	Weight With Carton	24.9 Kg without consumables
Watermark Printing <sup>4</sup>	Windows only		
Booklet Printing	Windows only		
Kofax	AutoStore, ControlSuite, Equitrac		
Brother Solutions Interface	Yes		
Mass Deployment Tool		Others	
	Windows only	Noise Level	Sound Pressure Level: (Printing) Less than 48 dBA,
Driver Deployment Wizard	Windows only		(Ready) InAudible
Light Solutions	ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother)	TEC Value	Sound Power Level: (Printing) Less than 6.62 B(A), (Ready) InAudible 0.48 kWh/Week
Print&Scan <sup>1</sup>	Windows/Mac		
	Yes		

- Download from Brother Solutions Centre Apply to activate Via Airprint or iPrint&Scan Windows only Windows/Mac
- 1. 2. 3. 4. 5.

- Capacity calculated with 80g/m² paper
- Must be connected to the internet
  The recommended monthly print volume is to achieve the best possible performance and printer life
  Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
  FPOT (First Print Out Time) based on ISO/IEC 17629


- Approx. declared yield value in accordance with ISO/IEC 19798 Scan speeds based on ISO/IEC 17991
- 13. Purchase optional tray required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



# Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.











YouTube: @BrotherNewZealand



LinkedIn: Brother New Zealand

